




Convivio new led sopratavolo



	luminaire
materials	steel, aluminum, brass, optical glass
environment	interiors
mounting location	ceiling
emission	localized direct light
weight	2,2 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut / casambi integrated / dali (on demand)
insulation class	2
IP classification	IP20
certifications	CE
design	Luta Bettonica, Mario Melocchi, 2005


	light source
source	LED
number of led	1
power	13W
luminous flux	1.300 lm
colour temperature	2.800K
CRI	92
energy label	





finish and code

chrome transparent lens cod 1860L cod C1860	satin nickel-plated transparent lens cod 1861L cod C1861
	phase-cut dimmable casambi integrated
matt white transparent lens cod 1887L cod C1887	matt black transparent lens cod 1888L cod C1888
	phase-cut dimmable casambi integrated

versions




Convivio new led sopratavolo decentrata



	luminaire
materials	steel, aluminum, brass, optical glass
environment	interiors
mounting location	ceiling
emission	localized direct light
weight	2,3 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut / casambi integrated / dali (on demand)
insulation class	2
IP classification	IP20
certifications	CE
design	Luta Bettonica, Mario Melocchi, 2005


	light source
source	LED
number of led	1
power	13W
luminous flux	1.300 lm
colour temperature	2.800K
CRI	92
energy label	





finish and code

chrome transparent lens cod 1862L cod C1862	satin nickel-plated transparent lens cod 1863L cod C1863
	phase-cut dimmable casambi integrated
matt white transparent lens cod 1889L cod C1889	matt black transparent lens cod 1890L cod C1890
	phase-cut dimmable casambi integrated

versions




Convivio new led sopratavolo due



	luminaire
materials	steel, aluminum, brass, optical glass
environment	interiors
mounting location	ceiling
emission	localized direct light
weight	5,1 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut / casambi integrated / dali (on demand)
insulation class	2
IP classification	IP20
certifications	CE
design	Luta Bettonica, Mario Melocchi, 2005


	light source
source	LED
number of led	2
power	2x13W
luminous flux	2x1.300 lm
colour temperature	2.800K
CRI	92
energy label	






finish and code

chrome transparent lens cod 1867L cod C1867	satin nickel-plated transparent lens cod 1868L cod C1868
	phase-cut dimmable casambi integrated
matt white transparent lens cod 1891L cod C1891	matt black transparent lens cod 1892L cod C1892
	phase-cut dimmable casambi integrated

versions




Convivio new led sopratavolo tre



	luminaire
materials	steel, aluminum, brass, optical glass
environment	interiors
mounting location	ceiling
emission	localized direct light
weight	7,2 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut / casambi integrated / dali (on demand)
insulation class	2
IP classification	IP20
certifications	CE
design	Luta Bettonica, Mario Melocchi, 2005

	light source
source	LED
number of led	3
power	3x13W
luminous flux	3x1.300 lm
colour temperature	2.800K
CRI	92
energy label	






finish and code

chrome transparent lens cod 1879L cod C1879	satin nickel-plated transparent lens cod 1881L cod C1881
	phase-cut dimmable casambi integrated
matt white transparent lens cod 1893L cod C1893	matt black transparent lens cod 1894L cod C1894
	phase-cut dimmable casambi integrated

versions


Convivio new led sopratavolo	Convivio new led sopratavolo decentrata	Convivio new led sopratavolo due
Convivio new led sopratavolo tre	Convivio new led sopratavolo multipla	

Convivio new led sopratavolo multipla



	luminaire
materials	steel, aluminum, brass, optical glass
environment	interiors
mounting location	ceiling
emission	localized direct light
weight	2,2 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut / casambi integrated / dali (on demand)
insulation class	2
IP classification	IP20
certifications	CE
design	Luta Bettonica, Mario Melocchi, 2005

	light source
source	LED
number of led	1
power	13W
luminous flux	1.300 lm
colour temperature	2.800K
CRI	92
energy label	



finish and code

chrome transparent lens cod 1883L cod C1883	satin nickel-plated transparent lens cod 1885L cod C1885	phase-cut dimmable casambi integrated
matt white transparent lens cod 1895L cod C1895	matt black transparent lens cod 1896L cod C1896	phase-cut dimmable casambi integrated

versions

Convivio new led sopratavolo	Convivio new led sopratavolo decentrata	Convivio new led sopratavolo due
Convivio new led sopratavolo tre	Convivio new led sopratavolo multipla	